

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b> <b>A01N 25/34</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 93/23999</b> <b>(43) International Publication Date:</b> 9 December 1993 (09.12.93)
<b>(21) International Application Number:</b> PCT/US93/04612 <b>(22) International Filing Date:</b> 20 May 1993 (20.05.93) <b>(30) Priority data:</b> 07/891,382 29 May 1992 (29.05.92) US <b>(71)(72) Applicant and Inventor:</b> E.I. DU PONT DE NEMOURS AND COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US). <b>(72) Inventors:</b> JACKISCH, David, Allan ; 307 Walden Road, Wilmington, DE 19803 (US). STYLES, David, Alan ; #4 Elliot Drive, West Grove, PA 19390-9424 (US). <b>(74) Agents:</b> EVANS, Susan, B. et al.; E.I. du Pont de Nemours and Company, Legal/Patent Records Center, 1007 Market Street, Wilmington, DE 19898 (US).		<b>(81) Designated States:</b> AU, BB, BG, BR, BY, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> WATER-SOLUBLE POLYMER PACKAGING FOR DELIVERY OF INCOMPATIBLE CROP PROTECTION CHEMICALS  <b>(57) Abstract</b>  Packaging of water-soluble polymer film is provided wherein crop protection chemical is dispersed within the thickness of the film, and the resultant film is either formed into a container to hold an incompatible crop protection chemical or laminated to another film within which is dispersed an incompatible crop protection chemical.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LJ	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TG	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

TITLEWATER-SOLUBLE POLYMER PACKAGING FOR DELIVERY OF  
INCOMPATIBLE CROP PROTECTION CHEMICALS5 BACKGROUND OF THE INVENTION

The present invention relates to the use of water-soluble polymer packaging for crop protection chemicals.

The concept of delivering a single agricultural chemical in a water-soluble polymer is addressed in U.S. Patent 3,299,506 and British Patent 2,095,558. Each of these patents disclose a water-soluble polymer containing a uniformly dispersed chemical. The water-soluble polymer containing a chemical is formed into a thin film which can be torn or cut into measured sections for delivery of the chemical contained in the water-soluble polymer. The chemical is applied by placing the film on the ground or by adding the film to a predetermined amount of water in a sprayer. By these methods, the user is able to avoid contact with the chemical.

20 It is often advantageous, however, to spray a field or garden plot with more than one chemical at the same time. For example, one chemical would kill broadleafed weeds while another chemical would kill grassy weeds.

The problem of delivering incompatible crop protection chemicals has in the past been solved by delivering the chemicals in separate containers. Another solution has been the "twin pack" container which has two compartments for containing while physically separating two incompatible chemicals which are to be delivered simultaneously. These containers have the disadvantage that the container(s) must be rinsed and then subjected to disposal.

SUMMARY OF THE INVENTION

The present invention provides packaging for simultaneous delivery of incompatible crop protection

chemicals to a field or garden plot. For purposes of this invention, incompatible chemicals are those which when placed in contact with each other will cause one or both of the chemicals to decompose.

5       The present invention takes advantage of the unique ability of a water-soluble polymeric film to encapsulate and immobilize a chemical, to provide a means for simultaneously delivering incompatible chemicals. The container for the incompatible chemicals is the water-  
10       soluble film. Since the container is water-soluble, there is no need for rinsing and disposal.

      The present invention provides packaging for storing and releasing incompatible crop protection chemicals, comprising:

15           a) first and second crop protection chemical, said first and second chemicals being incompatible with respect to each other; and

          b) a container of water-soluble polymer film, said first chemical being encapsulated in said film and  
20       said second chemical being contained in said container; whereby upon solution of said film in water, said film and said container releases said first and second chemicals, respectively.

      Another embodiment of the present invention is  
25       packaging for storing and releasing incompatible crop protection chemicals, comprising a plurality of water-soluble films laminated to one another, a first crop protection chemical being encapsulated in at least one of said films, and a second crop protection chemical  
30       incompatible with said first chemical being encapsulated in at least one other of said films so as to be stored separate from said first chemical, whereby upon solution of said films in water, said first and second chemicals are released into said water.

DESCRIPTION OF THE DRAWINGS

Figure 1 shows a front view of one embodiment of packaging of the present invention with one film side of the packaging being peeled back to show the presence of crop protection chemical in the package.

Figure 2 shows a cross-sectional side view of the packaging of Figure 1 with the thickness of the film forming the packaging being enlarged for the purpose of clarity.

Figure 3 shows an enlarged cross-section of the film of the packaging of Figure 2, indicating the presence of crop protection chemical dispersed therein.

Figure 4 shows an enlarged cross-section of another embodiment of packaging of the present invention.

Figure 5 shows an enlarged cross-section of still another embodiment of packaging of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

In Figures 1, 2, and 3, the packaging of the present invention is in the form of a pouch 2 (bag or envelope) made of water-soluble polymer film 4 by folding over the film upon itself to form a bottom 6 of the pouch and forming a heat seal closure of overlapping film portions along the sides 8 and top 10 of the pouch. The heat sealed overlapping film portions are best shown in Figure 2 forming the top 10 of the pouch.

A dispersion of crop protection chemical 12 is encapsulated within the thickness of the polymer film 4 as best shown in Figure 3. This dispersion is present throughout the film, even in the overlapping film portions forming the sides 8 and top 10 of the pouch.

The presence of polymer at both surfaces of the film as best shown in Figure 3 serves as packaging for the crop protection chemical until the film is dissolved in water and provides a polymer surface for heat sealing

overlapping film portions one to the other to form the packaging.

Instead of heat sealing to form the sides and top of the pouch 2 or other form of packaging, water wetting of the overlapping film surfaces to form packaging seals can be used, especially for water-soluble polymers which are not thermoplastic. When heat sealing is used, the heat sealing temperature will be just below the melting point of the polymer, sufficient to cause the overlapping film portions to fuse together under pressure to form the seal.

A second crop protection chemical 14 is contained within the pouch 2. This is added to the pouch after forming the heat seals along the side 8 of the pouch 2 and prior to forming the heat seal along the top of the pouch. Although the second crop protection chemical is incompatible with the first chemical encapsulated in the film 4 forming the packaging, the film encapsulation keeps these chemicals separate from and out of contact with each other.

Such packaging can be made in commercially available form, fill, and seal machines when film having crop protection chemical dispersed therein is first formed into a cylindrical shape, followed by sealing the longitudinal edges of the film to one another to form the side seal of the container, followed by pinching the cylinder and forming a bottom seal where pinched together, filling of the container with incompatible crop protection chemical, and then sealing the top of the resultant bag.

The size of the packaging will be dictated by the field area of application for the packaging. In the embodiment shown in Figures 1-3, the pouch is the size of an oversized tea bag. In use, the pouch is added to the tank of water used for spraying onto the field or plot.

The residence time of the packaging in the tank is sufficient to allow the polymer film to dissolve, simultaneously releasing the stored chemicals 12 and 14 into the tank for spraying onto the field or plot (including any agricultural crop present thereon). Typically, the polymer is such that the film will dissolve within 15 minutes after being added to the water, which will generally be at a temperature of 2° to 20°C. Promptly after the film dissolves, the contents of the tank are sprayed onto the field or plot, prior to the chemicals 12 and 14 having any chance of appreciable degradation, either by reaction with one another or with the water present in the spray tank.

In another embodiment of the present invention, shown in Figure 4, the incompatible crop protection chemicals 20 and 22 are dispersed within and thereby encapsulated by water-soluble polymer films 24 and 26, respectively, which are laminated one to the other either via heat or moistening along line 28 representing the area of mutual contact between the films. The dispersion of crop protection chemical 22 is more dense than for chemical 20 and film 26 is thicker than film 24 as a way of providing a greater proportion of chemical 22 for the packaging 30 represented by this laminate. As in the case of pouch 2, when packaging 30 of the length and width desired is added to water in a spray tank, the films dissolve to simultaneously release the incompatible chemicals into the water for spraying.

In a variation of the embodiment of Figure 4, as shown in Figure 5, one crop protection chemical 32 is dispersed within one layer of film 34, which is sandwiched between layers of film 36, within which are dispersed different crop protection chemical 38 which is incompatible with chemical 32. The three films are laminated together to form package 40 for the

incompatible chemicals, wherein the relative proportion of chemical 38 to chemical 32 is varied (increased) by having multiple layers of film 36 of the same thickness encapsulating chemical 38.

5       The water-soluble polymer film used in the present invention may be of any suitable film-forming material such as polyvinyl alcohol, methyl cellulose, poly-methylene oxide, sodium carboxy methyl cellulose, polyvinyl pyrrolidone or polyacrylamide selected in the  
10 film thickness used and particular form of packaging to form polymer film that is both sufficiently tough and flexible to withstand fabrication, filling, and handling.

Crop protection chemicals include insecticides, fungicides, herbicides, repellants, attractants,  
15 defoliants, plant growth regulators, fertilizers, bactericides, micronutrients, and trace elements. Films may contain combinations of these chemicals together with surfactants, dispersants, emulsifiers, and wetting agents to assist in the release and water dispersability of the  
20 chemicals.

Examples of incompatible pairs of crop protection chemicals which can be used in the present invention include:

Incompatible Pairs

25       bensulfuron methyl and molinate;  
2,4-D and thifensulfuron methyl;  
2,4-D and Methyl 2-[[[N-4-methoxy-6-methyl-1,3,5-triazine-2-yl)-N-methylamino]carbonyl]amino]-sulfonyl]benzoate;  
30       2,4-D and metsulfuron methyl;  
maneb or mancozeb and benomyl;  
glyphosate and metsulfuron methyl;  
tralomethrin and any organophosphate such as monocrotophos or dimethoate;



Bromoxynil and *N*-[[4,6-Dimethoxypyrimidine-2-yl)-amino]carbonyl]-3-(ethylsulfonyl)-2-pyridine-sulfonamide;

5 Bromoxynil and Methyl 2-[[[[(4-methyl-6-methoxy)-1,3,5-triazin-2-yl)amino]carbonyl]amino]sulfonyl]-benzoate;

Bromoxynil and Methyl 2-[[[*N*-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-*N*-methylamino]carbonyl]amino]-sulfonyl]benzoate

10 The water-soluble polymer film encapsulating crop protection chemical can be made by dissolving the polymer being used in water followed by addition of and mixing of the crop protection chemical therewith and removal of water to form a solid polymer film with the crop  
15 protection chemical dispersed therein. The crop protection chemical can be in the form of a high-melting solid, a liquid, a wax, a granule or a powder. If the chemical is a liquid, it can be added directly to the dissolved polymer. The combination results in an  
20 oil-in-water emulsion. A low-melting waxy solid can be heated above its melting point and added to the polymer solution. A powder can be added directly to the polymer solution or by making a slurry in water and adding it to the polymer solution. The combination results in a  
25 dispersion.

The resultant water-soluble film may contain from 1-75% of a crop protection chemical based on the weight of polymer plus crop protection chemical, to provide the amount of chemical desired for particular application  
30 while still having desired film physical properties.

The mixture of dissolved polymer and crop protection chemical can be cast into a film with, for example, a pressure die or a "doctor knife". The thickness of the wet cast film is adjusted to give the proper dry film  
35 thickness. The preferred thickness is from about 0.0003

to about 0.8 mm, preferably 0.03 to 0.3 mm. Typically, a continuous steel conveyer belt is used to support the film during drying. The finish can be matt or mirror finish so as to provide the required film handling properties. The film can be dried in a hot air oven and then stripped off the belt to form a roll. This roll is then slit into whatever width is required for the final packaging form.

Polymer solution temperature and oven temperature can be adjusted to a temperature that will ensure that the active ingredient does not decompose during processing.

The packaging of the present invention is unique in its ability to store and deliver two or more incompatible crop protection chemicals simultaneously. The encapsulated chemical is not available to any incompatible chemical. Therefore, degradation from contact with an incompatible chemical is prevented. An effective amount of each chemical for application to the crop or field is predetermined and so provided in the packaging so as to provide the desired crop protection benefit from each chemical.

Because of the water-solubility of the polymer film forming the packaging, it will be desirable to wrap or contain the packaging in a waterproof outer wrap such as a polyethylene bag. In use, the packaging would be removed from the bag and then added to the spray tank and disgarding or re-using the overwrap bag.

By way of specific example of the practice of the present invention, the solution of the ester salt of 2,4-D is incompatible with metsulfuron methyl (sulfonylurea herbicide). When they are put together, the sulfonylurea decomposes. They are frequently used together because the 2,4-D kills some weeds that are not killed by the sulfonylurea. Also, the 2,4-D has a different mode of action and helps prevent the

development of resistant weeds. The use rate of 2,4-D to control weeds in cereals (wheat, barley, oats) is 0.5 pint/acre (585 mL/ha). The use rate for metsulfuron methyl is 0.06 oz. a.i./acre (4.2 g a.i./ha). A

5 0.004 in. (0.01 cm) thick film that contains 0.06 oz. (50% a.i.) of metsulfuron methyl would make a bag that is 4 in. by 5.5 in. (10 cm by 14 cm). This size bag would have enough capacity to hold 0.5 pint of 2,4-D. To make the bag, polyvinyl alcohol is added to water (15% by

10 weight of PVOH). The mixture is stirred well and heated to 90°C. When all the polymer is dissolved, it is allowed to cool to room temperature to form a viscous polymer solution. The metsulfuron methyl is weighed to equal the weight of the polymer in solution. It is

15 stirred into the viscous polymer solution. The mixture is cast on a glass plate with a "doctor knife" and allowed to dry overnight at room temperature. The film is folded and heat sealed to give a bag resembling that of Figure 1 that is 10 cm by 14 cm. The 2,4-D liquid is

20 poured into the bag and the top of the bag heat sealed. The polyvinyl alcohol film of the bag should be protected from water before use so it must be stored in a water-proof outer wrap. Well known plastics and foil/paper combinations are acceptable for this purpose. When the

25 farmer is ready to use the combination product, he merely tears open the outer wrap and throws the bag into the spray tank. It will take about 2-10 min. for the bag to dissolve depending on the temperature of the water.

Molinate is incompatible with bensulfuron methyl.

30 When they are in contact with each other, the bensulfuron methyl sulfonyleurea herbicide decomposes. They are used together in rice paddies because the molinate kills grasses and the bensulfuron methyl kills broadleaved weeds. The molinate is used at a rate of 3 pints/acre

35 (3500 mL/ha). The bensulfuron methyl is used at a rate

of 1 oz. a.i./acre (70 g a.i./ha). An 0.022 in. (0.057 cm) thick water-soluble polymer film can contain 50% by weight of bensulfuron methyl. The area of the film for one acre would be 129 in (6.45 cm<sup>2</sup>). This film can be cut, folded, and sealed using heat or moistening of overlapping surfaces to produce a carton like that used for milk in the U.S. The carton would be 3 in. (7.6 cm) deep, 3 in. (7.6 cm) wide and 10 in. (25.4 cm) high. The top could be a gable top so that the liquid molinate could be added using existing packaging equipment. This size carton would be big enough to hold 3 pints of molinate. The carton could be contained within a foil/cardboard container of similar shape to provide shape stability to the film in its carton shape.

15

20

25

30

35

What is claimed is:

1. Packaging for storing and releasing incompatible  
5 crop protection chemicals, comprising:

a) first and second crop protection chemical,  
said first and second chemicals being incompatible with  
respect to each other; and

b) a container of water-soluble polymer film,  
10 said first chemical being encapsulated in said film and  
said second chemical being contained in said container;  
whereby upon solution of said film in water, said film  
and said container releases said first and second  
chemicals, respectively.

15 2. Packaging for storing and releasing  
incompatible crop protection chemicals, comprising a  
plurality of water-soluble films laminated to one  
another, a first crop protection chemical being  
encapsulated in at least one of said films and a second  
20 crop protection chemical incompatible with said first  
chemical being encapsulated in at least one other of said  
films so as to be stored separate from said first  
chemical, whereby upon solution of said films in water,  
said first and second chemicals are released into said  
25 water.

1/1

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 93/04612

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (Several classification symbols apply, indicate all) <sup>6</sup>		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int.Cl. 5 A01N25/34		
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
Int.Cl. 5	A01N	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched <sup>8</sup>		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT<sup>9</sup></b>		
Category <sup>10</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
A	EP,A,0 347 222 (MAY & BAKER) 20 December 1989 see claims	1
A	DE,A,4 113 786 (RHONE-POULENC) 7 November 1991 see claims	1
A	GB,A,2 095 558 (AVON PACKERS) 6 October 1982 cited in the application see claims	2
<p><sup>10</sup> Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&amp;" document member of the same patent family</p>		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	
08 SEPTEMBER 1993	22. 09. 93	
International Searching Authority	Signature of Authorized Officer	
EUROPEAN PATENT OFFICE	DECORTE D.M.	

Form PCT/ISA/210 (second sheet) (January 1985)

# ANNEX THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

US 9304612  
SA 74693

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information. 08/09/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0347222	20-12-89	GB-A- 2230445	24-10-90
		AU-A- 3767689	12-01-90
		AU-A- 3837589	12-01-90
		AU-A- 3839689	12-01-90
		AU-A- 3840389	12-01-90
		EP-A- 0347219	20-12-89
		EP-A- 0347220	20-12-89
		EP-A- 0347221	20-12-89
		EP-A- 0420889	10-04-91
		EP-A- 0419545	03-04-91
		EP-A- 0422060	17-04-91
		EP-A- 0422061	17-04-91
		WO-A- 8912587	28-12-89
		WO-A- 8912588	28-12-89
		WO-A- 8912589	28-12-89
		WO-A- 8912590	28-12-89
		JP-T- 3505073	07-11-91
		JP-T- 3505074	07-11-91
		JP-T- 3505075	07-11-91
		JP-T- 3505076	07-11-91
		CN-A- 1040550	21-03-90
		CN-A- 1040552	21-03-90
		GB-A, B 2222083	28-02-90
		GB-A, B 2221158	31-01-90
		GB-A, B 2221159	31-01-90
		GB-A, B 2221160	31-01-90
DE-A-4113786	07-11-91	US-A- 5080226	14-01-92
		AU-A- 7611491	07-11-91
		BE-A- 1003800	16-06-92
		CN-A- 1056468	27-11-91
		FR-A- 2665889	21-02-92
		GB-A- 2244258	27-11-91
		JP-A- 4225903	14-08-92
		LU-A- 87924	03-03-92
		NL-A- 9100706	02-12-91
		SE-A- 9101245	03-11-91
		AU-A- 8039591	23-01-92
		AU-A- 8039691	23-01-92
		AU-A- 8039791	23-01-92



# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

US 9304612  
SA 74693

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08/09/93

Page

2

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-A-4113786		AU-A- 8039891	23-01-92
		AU-A- 8039991	23-01-92
		AU-A- 8097791	18-02-92
		AU-A- 8097891	18-02-92
		AU-A- 8105291	18-02-92
		AU-A- 8200091	18-02-92
		AU-A- 8220391	18-02-92
		CA-A- 2041313	03-11-91
		CA-A- 2066243	19-01-92
		CN-A- 1058317	05-02-92
		CN-A- 1058318	05-02-92
		CN-A- 1058319	05-02-92
		CN-A- 1058191	29-01-92
		CN-A- 1058320	05-02-92
		WO-A- 9201374	06-02-92
		WO-A- 9201375	06-02-92
		WO-A- 9201376	06-02-92
		WO-A- 9201377	06-02-92
		WO-A- 9201378	06-02-92
		EP-A- 0493553	08-07-92
		EP-A- 0491915	01-07-92
		EP-A- 0493558	08-07-92
		EP-A- 0491916	01-07-92
		EP-A- 0493561	08-07-92
		JP-T- 5501719	02-04-93
		JP-T- 5501720	02-04-93
		JP-T- 5501721	02-04-93
		JP-T- 5501722	02-04-93
		JP-T- 5501724	02-04-93
		US-A- 5139152	18-08-92
		US-A- 5222595	29-06-93
		US-A- 5224601	06-07-93
-----			
GB-A-2095558	06-10-82	None	
-----			

EPO FORM P079

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

